



Town of Acton
Department of Public Health
472 Main Street, Acton, MA 01720
Phone: (978) 929-6632 Fax: (978) 929-6340
www.acton-ma.gov

ANNUAL INSPECTION HAZARDOUS MATERIALS PERMIT HOLDER

Facility Name: Advanced Auto Science Date 5/19/2014
Address: 140 Great Road
Type of Business: Auto garage
Telephone: 978-263-7004 Email: Autosciences@gmail.com
Contact Person: Dave Hackett Initial Inspection ☒ Re-Inspection ☐

Housekeeping:	Y	N	Comments
Area clean	<input checked="" type="checkbox"/>		
Spills present		<input checked="" type="checkbox"/>	
Appropriate material storage	<input checked="" type="checkbox"/>		
Materials and wastes separate	<input checked="" type="checkbox"/>		
Cleanup materials available	<input checked="" type="checkbox"/>		
Materials have secondary containment	<input checked="" type="checkbox"/>		
Materials and wastes are labeled	<input checked="" type="checkbox"/>		
Safety:			
Are MSDS sheets available on site	<input checked="" type="checkbox"/>		
Employee personal protective equipment on site	<input checked="" type="checkbox"/>		
Employees trained in Haz Mat handling	<input checked="" type="checkbox"/>		
Emergency procedures posted	<input checked="" type="checkbox"/>		
Site Management:			
Waste removed by licensed hauler	<input checked="" type="checkbox"/>		About 4 drums a month- not always full
Floor drains present in area of Haz Mat or waste		<input checked="" type="checkbox"/>	
Sinks present in area of Haz Mat or waste		<input checked="" type="checkbox"/>	
Testing of septic system necessary		<input checked="" type="checkbox"/>	
Does site plan on file reflect current arrangement	<input checked="" type="checkbox"/>		
Any UST (underground storage tank) present		<input checked="" type="checkbox"/>	
If UST present, is it alarmed		<input checked="" type="checkbox"/>	

Action Items:

1. _____ 4. _____
2. _____ 5. _____
3. _____ 6. _____

Re-inspection required? Yes ☐ No ☒

Re-inspection Date: _____

Inspector Signature _____

Date _____

Facility Representative Signature _____

Date _____

D.H. 5/22/14

**TOWN OF ACTON
HAZARDOUS MATERIALS CONTROL
ANNUAL PERMIT APPLICATION**



Site Address	Mailing Address
Advanced Auto Sciences 30 Great Road Acton, MA 01720	140 Great Road Acton, MA 01720
Category: 4, 9, 12, ,	Fee: \$ 135

Hazardous Materials Permitting Categories (Renewal)

- | | |
|---|--|
| 1. Hazardous Waste Generator (\$65) | 2. Small Hazardous Waste Generator (\$45) |
| 3. Hazardous Materials Generator (\$65) | 4. Hazardous Materials User (\$45) |
| 5. Discharge Permit (\$140) | 6. Remediation Permit (\$140) |
| 7. Hazardous Waste User (\$65) | 8. Haz. Mat. Storer Large Industry (\$235) |
| 9. Haz. Mat. Storer Small Industry (160) | 10. Haz. Mat. Storer Large Retail (\$170) |
| 11. Haz. Mat. Storer Small Retail (\$140) | 12. Haz. Waste Storer Industry (\$65) |
| 13. Haz. Waste Storer Retail (\$45) | |

1. Are MSDS's readily available on-site? Yes ☒ No ☐
2. Is employee personal protective equipment available on site? Yes ☒ No ☐
3. Are emergency procedures posted? Yes ☒ No ☐
4. Do all hazardous materials have 110% secondary containment? Yes ☒ No ☐
5. Are all materials and wastes clearly labeled? Yes ☒ No ☐
6. Are spill cleanup materials available? Yes ☒ No ☐
7. Do you have a copy of the Hazardous Materials Control Bylaw on site? Yes ☒ No ☐
8. Are you contracting with a DEP licensed waste hauler (if applicable)? Yes ☒ No ☐

Name of hauler: Safety Kleen

Address of hauler: _____

9. Can you provide copies of waste shipping manifests if necessary? Yes ☒ No ☐

10. Contact person for the site is Dave Hackett

I hereby certify on behalf of Advanced Auto Sciences, the applicant for a permit or permit renewal from the Acton Board of Health pursuant to Chapter I of the Town of Acton General By-laws (the "Permit Application") that (a) the information contained in the Permit Application is true, accurate and complete, and (b) the facility located/operating at the above noted site address, Acton, MA and that is the subject of the Permit Application complies with the requirements for Approval of Hazardous Material Waste and Special Waste Permits as defined in section 3.5 of Chapter I of the Town of Acton General By-laws, Hazardous Materials Control, as amended.

Authorized Signatory

Date

5-5-14

5/1/2014

Expires 5/1/2015

Fee: \$ 135

**TOWN OF ACTON
PERMIT
HAZARDOUS MATERIALS CONTROL BYLAW**

¹⁴⁰
Is hereby granted a permit to store and use Hazardous Materials at **Advanced Auto Sciences, 40 Great Road**, Acton MA 01720. This permit is granted with the conditions as noted on the attached list of conditions assigned to your facility.

Permit Categories: **4, 9, 12, ,**

*See below explanation of permit categories

HAZARDOUS MATERIALS CONTROL PERMIT CATEGORIES AND FEES

<u>Category</u>	<u>Initial</u>	<u>Renewal</u>
1. Large Hazardous Waste Generator	\$160	\$65
2. Small Hazardous Waste Generator	\$60	\$45
3. Hazardous Materials Generator	\$160	\$65
4. Hazardous Materials User	\$50	\$45
5. Remediation Discharge Permit	\$575	\$140
6. Remediation Permit	\$595	\$140
7. Hazardous Waste User	\$160	\$65
8. Hazardous Materials Storer Large Industry	\$510	\$235
9. Hazardous Materials Storer Small Industry	\$360	\$160
10. Hazardous Materials Storer Large Retail	\$430	\$170
11. Hazardous Materials Storer Small Retail	\$305	\$160
12. Hazardous Waste Storer Small Industry	\$160	\$65
13. Hazardous Waste Storer Retail	\$60	\$45
14. Hazardous Waste Storer Large Industry	\$160	\$65

HAZARDOUS MATERIALS CONTROL PERMIT

List of Conditions: Advanced Auto Sciences 140 Great Road Acton, MA 01720

Pursuant to the authority of Chapter I - Hazardous Materials Control Bylaw - of the Town of Acton's General Bylaws, the Board of Health has considered your application and plans submitted therewith, and has determined that the materials to be stored, used or generated, are within the scope of said bylaw. The Board of Health hereby orders that the following conditions are necessary and all storage, use or generation must be performed in strict conformance herewith:

1. All liquid Hazardous Materials and Wastes shall be stored in a containment area capable of containing 110% of the largest volume stored in the containment area.
2. All Materials Safety Data Sheets (MSDSs) for the Hazardous Materials shall be maintained on site. MSDSs shall be reviewed with employees at the time of their employment and on an annual basis thereafter. MSDSs must be made available to all employees upon request.
3. A Contingency Plan, including emergency contact numbers (telephone numbers of owner, operator, etc.) and a sketch showing clearly all Hazardous Material and Waste locations shall be submitted and updated annually, to the Board of Health, Fire Department, Police Department, and Civil Defense.
4. Emergency procedures and local Emergency Response Telephone Numbers (Health, Fire, Police, D.E.P., Civil Defense, etc.) should a spill occur, shall be posted in clear view of all employees where Hazardous Materials or Wastes are used or stored.
5. All Hazardous Wastes must be disposed of by a Licensed, D.E.P. approved, hauler or be recycled on site.
6. Copies of either all invoices or manifests for any Hazardous Materials or Wastes, received or disposed, shall be submitted to the Board of Health annually.
7. All Hazardous Materials Containers shall be labeled and dated when filling first began.
8. Speedy Dry, or its equivalent, shall be kept in the storage area, in case of a Hazardous Materials or Wastes spill.
10. All floor drains shall be sealed or discharged into a closed system, with the waste disposed of by a D.E.P. approved Hazardous Waste Hauler.
11. Protective equipment, including chemical resistant gloves, eye goggles and (rubber) boots, in addition to soap and water, shall be made available to all employees, at all times, in any Hazardous Materials or Waste storage or use area.
12. No Hazardous Materials or Wastes shall be discharged into a sink or toilet.
14. A fire extinguisher, containing an appropriate fire extinguishing agent, shall be placed in the Hazardous Materials Storage area.
15. No food or drink shall be stored or consumed in any area where Hazardous Materials are stored or used.

16. Within thirty (30) days after issuance of this permit and prior to the next pumping of the septic tank, a sample shall be taken from the liquid layer of the septic tank and analyzed for volatile organic compounds by EPA Method 624. A sample shall be taken each time prior to pumping the septic tank. Each sample shall be analyzed by a DEP certified testing lab. The results of all tests shall be submitted to the Board of Health within thirty (30) days after testing. The septic tank shall be tested annually unless otherwise requested by the Board of Health.
21. Gas cylinders shall not be rolled, even for short distances. They shall be moved by a suitable hand truck, in accordance with an OSHA standard that applies.
26. The operation of this facility shall be in compliance with all present and future regulations of E.P.A. and D.E.P. at all times. Nothing in this permit allows or requires non-compliance with all present and future applicable laws or regulations of the Federal or State Governments.